

EXHIBIT

6

HOMEPAGE

Page 1 of 1



We Serve The World


Founded in 1918 & headquartered in Taiwan, Tatung Company (www.tatung.com) is a worldwide leader in the design and manufacturing of a vast array of digital consumer products, including consumer PCs, LCD TVs PDPs, network-connected devices, storage-based media players, videophones and home appliances. Tatung also delivers advanced products for business computing, such as Tablet PCs, blade servers and wireless thin clients. For industrial products, Tatung has well-established power and energy businesses.

By capitalizing on the advantages of vertical integration, Tatung makes full use of the supply of key components such as flat-panel displays and digital tuners from its many subsidiaries located across the globe. In order to sustain strong, long-term growth, Tatung is particularly focused on the development of advanced technologies and global network of operations. With its overseas branches spreading across 12 countries, Tatung is in a solid position to deliver products more efficiently and fulfill customer services more effectively.

copyright 1997,1998 Tatung Co. All rights reserved.



Product Overview



[What's New](#) [About TATUNG](#) [Worldwide Offices](#) [Product Overview](#) [中文](#)

Computer & Communications



- [Computer](#)
 - [Server](#)
 - [Tablet PC](#)
 - [Notebook PC](#)
- [Monitor](#)
- [IA & Wireless Product](#)
 - [Smart Display](#)
 - [WebPad](#)
 - [WLAN product](#)
 - [WLAN Test Analyzer](#)
 - [Antennas](#)

Consumer Product



- [TV](#)
 - [LCD TV](#)
 - [Plasma TV](#)
- [Air Conditioner](#)
- [Household Appliance](#)

Industrial Product



- [Heavy Electric Apparatus:](#)
Transformer, Switch Gear,
Varnish, System & Service
Engineering
- [Optical Fiber, Copper Rod,
Telecom, Magnet Wire,
Cable & Components](#)
- [Hermetic Motor Compressor](#)
- [Motor, Power Generator,
Machine Tool, Escalator, &
Elevator](#)
- [Heavy Electric System
Engineering](#)

copyright 1997~2003 Tatung Co. All rights reserved.

無標題文件


Page 1 of 2

Products of TATUNG Display BU.

MONITOR

Series

- L5CTS
- L15CCAT
- L17AMTN
- L17CMAT
- L19AMTN
- L19CMAT



View Products

Tatung Monitor



L5CTS

Tatung 15" TFT LCD
1024 x 768 (75Hz)
262,144 Colors

[View More▶▶▶](#)



L15CCAT

Tatung 15" TFT LCD
1024 x 768 (75Hz)
262,144 Colors

[View More▶▶▶](#)



L17AMTN

Tatung 17" TFT LCD
1280 x 1024 (75Hz)
16.7 million Colors

[View More▶▶▶](#)



L17CMAT

Tatung 17" TFT LCD
1280 x 1024 (75Hz)
16 million Colors

[View More▶▶▶](#)



L19AMTN

Tatung 19" TFT LCD
1280 x 1024 (75Hz)
16.7 million Colors

[View More▶▶▶](#)



L19CMAT

Tatung 19" TFT LCD
1280 x 1024 (75Hz)
16.7 million Colors

[View More▶▶▶](#)


We Serve Your Life Well.....2003.7.28.....

Experience Up to Date Tatung Display Series
CRT / LCD Monitors, LCD / Plasma Multimedia Display
Vision Evolution
Display Business Unit

無標題文件

Page 2 of 2

View Other Products / LCD-MD/ PDP




無標題文件

Page 1 of 1

Products of TATUNG Display BU

MONITOR



L17AMTN

Click to enlarge picture ►►►

Features

- 17" TFT LCD panel
- 16.7 million colors
- Resolution: 1280 x 1024
- Weight (net): 5.4 Kg

Products Item	Specification
Screen Size	17" TFT LCD panel
Display Area	337.9 mm (H) x 270.3 mm (V)
Pixel Pitch	0.264mm(H) x 0.264mm(V)
Display Colours	16.7 million
Contrast Ratio	500:1 (typical)
Luminance	250 cd/m2 (typical)
Viewing Angle	-85°~85° (H); -85° ~ 85° (V)
Input Signal	Analog (D-sub 15 pin detachable cable)
Scanning Frequency	fH : 31.5 kHz ~ 80 kHz
	fV : 56 Hz ~ 75 Hz
Resolution Max.	1280 x 1024 (75 Hz)
Recommended	1280 x 1024 (60 Hz)
Power Input	100V ~ 240V, 50/60Hz (external AC adapter)
Power Consumption	< 45W
4 User Keys with OSD digital control	Power, Select, Up(+), Down(-)
PnP Compatibility	DDC 2B
Monitor Tilt	Forward: 5°, Backward: 20°
Panel Mounting Interface	VESA Mounting Standard, 100mm x 100mm
Weight (net)	5.4 Kg
Dimension (W x H x D)	403 mm x 387.5 mm x 192 mm

We Serve Your Life Well.....2003.7.28.....Last Update


Experience Up to Date Tatung Display Series
 CRT / LCD Monitors, LCD TVs, Plasma TVs
 Vision Evolution
 Display Business Unit

無標題文件

Page 1 of 1

Products of TATUNG Display BU.

MONITOR



L17CMAT

Click to enlarge picture >>>

Features

- 17" TFT LCD panel
- 16 million colors
- Resolution: 1280 x 1024
- Weight (net): 5.0 Kg

Products Item	Specifiction
Screen Size	17" TFT LCD panel
Display Area	337.9 mm (H) x 270.3 mm (V)
Pixel Pitch	0.264 mm (H) x 0.264 mm (V)
Display Colours	16 million
Contrast Ratio	400:1 (typical)
Luminance	280 cd/m2
Viewing Angle	-80°~80 ° (H); -65° ~ 75° (V)
Input Signal	Analog (D-sub 15 pin detachable cable)
Scanning Frequency	H : 31.5 kHz ~ 80 kHz V : 56 Hz ~ 75 Hz
Resolution Max.	1280 x 1024 (75 Hz)
Recommended	1280 x 1024 (60 Hz)
Power Input	100V ~ 240V, 50/60Hz (external AC adapter)
Power Consumption	< 45W
4 User Keys with OSD digital control	Power, Select, Up (+), Down (-)
PnP Compatibility	DDC 2B
Monitor Tilt	Forward: 5°, Backward: 20°
Panel Mounting Interface	VESA Mounting Standard, 100mm x 100mm
Audio Output	1 W + 1 W (rms)
Weight (net)	5.0 Kg
Dimension (W x H x D)	403mm x 382.5mm x 192mm
We Serve Your Life Well.....2003.7.28.....Last Update	
Experience Up to Date Tatung Disply Series	
CRT / LCD Monitors, LCD TVs, Plasma TVs	
Vision Evolution	
Display Business Unit	

無標題文件

Page 1 of 2

Products of TATUNG Display BU.

LCD Multimedia Display

PAL/SECAM & NTSC System

TV Function	TV Standard (CCIR)	EKG, DTK, I and L/L (Multi-Europe)	
	Color System	PAL/SECAM	
	Sound System	NICAM/A2 (IGR)	
	Teletext	14 Pages (FLOTTOP)	
Video I/O	Video Color System	PAL/SECAM/NTSC	
	AVI (In/Out)	21-Pin Smart (RGB & Composite) x1	
	AV2 (In)	Video (Composite)	Audio L/R x1
		S-Video	
		T CoCrA YPbPr (480i, 480p)	

Series

- V27DMBX
- V32FLBB
- V30DMTT
- V30CMTT
- V30CMTT-U02
- V17CFAT
- V17AFTW
- V20CAAT
- V23CLTT
- V27CMTT

View Products


Tatung LCD Multimedia Display



V27DMBX

Tatung 27" LCD Multimedia Display

US. Spec.



V32FLBB

Ta View Other Products / MONITOR / PDP

US. Spec.

EU. Spec.



V30DMTT

Tatung 30" LCD Multimedia Display

US. Spec.

EU. Spec.



V30DMTT-U02

Tatung 30" LCD Multimedia Display

US. Spec.

EU. Spec.



V30CMTT

Tatung 30" LCD Multimedia Display

US. Spec.

EU. Spec.



V17AFTW

Tatung 17" LCD Multimedia Display

US. Spec.

EU. Spec.



V17CFAT

Tatung 17" LCD Multimedia Display

US. Spec.



EU. Spec.



Tatung 20" LCD Multimedia Display

無標題文件

Page 2 of 2

V20CAAT		US. Spec.	EU. Spec.
<hr/>			
	Tatung 23" LCD Multimedia Display	US. Spec.	EU. Spec.
V23CLTT			
<hr/>			
	Tatung 27" LCD Multimedia Display	US. Spec.	EU. Spec.
V27CMTT			

We Serve Your Life Well.....2005.05.....
Experience Up to Date Tatung Disply Series
CRT / LCD Monitors, LCD /Plasma Multimedia Display
Vision Evolution
Display Business Unit

無標題文件

Page 1 of 2

Products of TATUNG Display BU.

Plasma Display

PAL/SECAM & NTSC System

TV Function	TV Standard (CCIR)	EFG, D/K, I and L/L (Multi-Europe)	
	Color System	PAL/SECAM	
	Sound System	NICAM/A2 (IGR)	
	Teletext	18 Pages (FLO/TOPI)	
Video I/O	Video Color System	PAL/SECAM/NTSC	
	AVI (In/Out)	21-Pin Scart (RGB S Composite) x1	
	Av2 (In)	PAL/SECAM/NTSC	Audio L/R x1
		S-Video	
TbCr&YPbPr (1080i, 480p)			

Series

- P50BSAT-UM2
- P50BSAT-U02
- P42HSMT-U02
- P42BSMT
- P42BSTT
- P46ACTP
- P46CCWV
- P50BSTT
- P63BSTT


View Products

Tatung Plasma Display



P50BSAT-UM2

Tatung 50" Plasma Display
1366 × 768 (WXGA)
16:9



View Other Products / MONITOR / LCD-MD



P50BSAT-U02

Tatung 50" Plasma Display
1366 × 768 (WXGA)
16:9

[View More▶▶▶](#)


P42HSMT-U02

Tatung 42" Plasma Display
1024 × 768 (XVGA)
16:9

[View More▶▶▶](#)


P42BSMT

Tatung 42" Plasma Display
852 × 480 (WVGA)
16:9

[View More▶▶▶](#)


P42BSTT

Tatung 42" Plasma Display
852 × 480 (WVGA)
16:9

[View More▶▶▶](#)


P46CCWV

Tatung 46" Plasma Display
852 × 480 (WVGA)
16:9

[View More▶▶▶](#)


P46ACTP

Tatung 46" Plasma Display
852 × 480 (WVGA)
16:9

[View More▶▶▶](#)

Tatung 50" Plasma Display
1366 × 768 (WXGA)

無標題文件

Page 2 of 2



16:9

[View More▶▶▶](#)



Tatung 63" Plasma Display

1366 x 768 (WXGA)

16:9

[View More▶▶▶](#)

We Serve Your Life Well.....2003.7.28.....

Experience Up to Date Tatung Display Series

CRT / LCD Monitors, LCD / Plasma Multimedia Display

Vision Evolution


Display Business Unit

無標題文件

Page 1 of 2

Products of TATUNG Display BU.

LCD Multimedia Display



V27DMBX

US Spec.

EU Spec.

Back

Features

- 27" TFT-LCD Panel
- High Contrast/Brightness
- PIP function
- Multimedia: TV, S-Video, CVBS, EDTV,
- PC, CVBS output

Products Item	Specification	
Panel	Screen Size	27" TFT-LCD Panel
	Aspect Ratio	16:9
	Resolution	1280 x 720 (WXGA)
	Display Area(Opening)	597mm x 336mm
	Pixel Pitch	0.46mm x 0.46mm
	Display Colors	16,777,216 colors
	Contrast Ratio	500:1 (typ.)
	Brightness (Center)	500 cd/m2 (typ.)
	Viewing Angle	Hor = 170°(Typical) Ver = 170°(Typical)
	Response Time	Tr = 15ms (typ.) Tf = 10ms(typ.)
TV Function	Broadcasting System	NTSC, M/N
	Receiving Channel	PLL 181Ch, CATV 125CH
	Sound System	MTS + SAP
	DATA Broadcasting	Close Caption, V-Chip
Video Input	Composite Signal	CVBS
	Y, C Signal	S-Video
	Component Signal	Y, Pb/Pr (HDTV Ready)
	Signal Connection	DVI - 129 Pin
PC Input	PnP Compatibility	DDC / 2B
	Scanning Frequency	fH=31.5 - 60 KHz / fV=56 - 75Hz
	Recommended	1024 x 768 (60Hz)
	Digital Compliant	DVI 1.0 / HDCP 1.1
Audio Input	HDTV Ready (via D-Sub 15Pin)	720P, 1080i
	Audio 1	CVBS & S-Video x 1
	Audio 2	Y, Pb/Pr x 1
	Audio 3	PC x 1
Video Output	Video out (TV Only)	RCA-Jack x 1
	Speaker (Build-in)	10W + 10W(rms) @ THD < 10%
Audio Output	Headphone	Headphone Mini-jack (3.5φ)
	Line Out	RCA - jack (L/R)
	Subwoofer Out	RCA - jack
Feature	OSD Language	English, French, German, Spanish, Chinese
	Function Keys	Power, Source, Menu, Up/Down (Channel), +/- (Volume), Aspect
	Video Performance	PIP, VOV, 3D De-interlace, 3D Comb-filter,
		3D De-interlace, Aspect Ratio Control(ARC), Auto Picture Control.

無標題文件

Page 2 of 2

	Audio Performance	Equalizer, Subwoofer, Auto Volume, Control (AVC)
	Other Control	Sleep Timer, Auto Power Off.
Power	Power Supply	AC 100V ~ 240V, 50 / 60Hz
	Power Consumption	< 140 W
Panel Tilt	Forwards / Backwards	- 5° / + 10°
Dimension	W x H x D	841 x 500 x 267
Weight (net)	w/o Accessories	14.5 kg(ref.)
Accessories	Remote controller, Batteries, AC power cord	

We Serve Your Life Well.....2005.05.....Last Update

Experience Up to Date Tatung Display Series

CRT / LCD Monitors, LCD / Plasma Multimedia Display

Vision Evolution

Display Business Unit

org-overseas

Page 1 of 2



What's New

About TATUNG

Worldwide Offices

Product Overview

中文

[Organization](#)[Philosophy](#)[History](#)**Organization****Major Overseas Subsidiaries**[Major Factories](#)[Major Domestic Subsidiaries](#)[Organization Chart](#)

TATUNG (U.K.) LTD.

TEL:(01952)290111
FAX:(01952)
2900390

Monitors, PCs and TV sets

Tatung Netherlands B.V.
(Nijmegen, Netherlands)TEL:31(024)
3287200
FAX:31(024)
3287211Desktop PCs, workstations,
servers, digital information
peripherals

Tatung Mexico S.A. de C.V.

Tel: 52-16-490001
Fax: 52-16-331775

Desktop PCs, monitors

TMX Technologies, Inc.

TEL: +1-503-645-
8340
FAX: +1-503-645-
0140

- WebPads
- Tablet PCs
- Wireless Products
 - *WiRange Test Analyzer
 - *Directional Antenna
 - *Embedded Antenna
- Smart Display
- Multimedia solutions

TATUNG CO. OF AMERICA,
INC.TEL: (310)637-2105
FAX: (310)637-8484Monitors, PCs and home
appliancesTATUNG Science and
Technology, Inc.Tel: (800)-659-5902
(510)5687-9688
Fax:(510)687-9588SPARC compatible
workstations and serversTATUNG Electric Co. of America,
Inc.Tel:(714)838-3293~4
Fax:(714)838-3295

Heavy-industry products

Tatung Telecom Corporation
(Mountain View, California,
USA)Tel: (408)486-9898
Fax: (408)486-6066Electronic-commerce pay
system, smart IC telephones,
pay phonesTATUNG CO. OF CANADA,
INC.TEL: 905-770-6211
FAX: 905-770-6212

PCs and home appliances

TATUNG INFORMATION
TECHNOLOGY (JIANGSU)
CO., LTD.TEL: (0512)3401328
FAX: (0512)3401368

Monitors and PCs

TATUNG HOME APPLIANCES
(WUJIANG) CO., LTD.TEL: (0512)3403328
FAX: (0512)3403329

Home appliances

TATUNG ELECTRONICS
(WUJIANG) CO., LTD.TEL:(0512)3403328
FAX:(0512)3403329

TV sets

TATUNG (SHANGHAI) CO.,
Ltd.Tel:(021)
64272907~9
Fax:(021)64272910AC motors, DC motors, AC
generators, diesel engine
generators, variable speed
motors, inverters, PLCs

org-overseas

Page 2 of 2

FDK TATUNG (THAILAND) Co., Ltd.	TEL:(038)213169 FAX:(038)213168	Ferrite cores for deflection yokes, generators, rotary transformer core
TATUNG (THAILAND) CO., LTD.	TEL: (038)743411 FAX: (038)743412	Color TV sets and computer monitors
TATUNG WIRE AND CABLE (THAILAND) CO., LTD.	TEL: (038)743411 FAX: (038)743412	Magnet wire, tin-plated copper wire
TATUNG CO. OF JAPAN, INC.	TEL: (03)3545-2969 3545-2205 FAX: (03)3545-3155	Selling Tatung products and purchasing materials and parts
TATUNG LIAISON OFFICE, ROK	TEL: (02)718-7137 718-8970 FAX: (02)718-1825	Selling Tatung products and purchasing materials and parts
TATUNG ELECTRONICS (SINGAPORE) PTE. LTD.	TEL: 2656526 2655297 FAX: 2687404	Selling Tatung products and purchasing materials and parts
TATUNG CO. HONG KONG OFFICE	TEL: (852)27781386 FAX: (852)27846233	Selling Tatung products and purchasing materials and parts
Chunghwa Picture Tubes,(UK) Ltd.	Tel:44-1698-838888 Fax:44-1698-838899	14-inch TV tubes, 17-inch display tubes
Chunghwa Picture Tubes (Malaysia) SDN. BHD.	Tel:60-3-7355055 Fax:60-3-7303507	14-inch, 15-inch, 17-inch display tubes, 14-inch,20-inch,21-inch color tubes
Chunghwa picture Tubes (Malaysia) SDN. BHD. Kampar Plant	Tel:60-5-4665246 Fax:60-5-4665249	Color electron guns, bead glass
Makolin Electronics (Malaysia) SDN. BHD.	Tel:60-5-4665780 Fax:60-5-4665688	Deflection yokes for color tubes
Chunghwa Picture Tubes (Fuzhou) Ltd.	Tel:86-591-3971357 Fax:86-591-3970489	14-inch, 15-inch color display tubes, monochrome tubes, color electron guns, monochrome electron guns

i@

EXHIBIT

7



PRODUCTS & SERVICES

Products

Tatung's wide range of technologically advanced & best-in-class products delivers exceptional and competitive customer and partnership value for homes and business enterprises.

- Monitors
- Consumer Appliances
- Lodging Products
- LCD TV
- Plasma TV/Monitor
- Specialty PC
- Security Products

Monitors	Consumer Appliances	Lodging Products	LCD TV	Plasma TV	Specialty PC	Security Products
CORPORATE INFO						
			PRODUCTS & SERVICES		SUPPORT	HOME
			Products		Services	
			PARTNERS			

10/26/2005



PRODUCTS & SERVICES

Monitors

- PC Monitors
- Touch Screen
- Open Frame



PC Monitors Touch Screen Monitors Open Frame Monitors HOME
CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT




PRODUCTS & SERVICES

PC Monitors

Tatung manufactures a full range of CRT and LCD Color Monitors to satisfy the requirements of a diverse range of product markets. Entry level and high specification models designed for consumer, business and professional markets are readily available.

Tatung monitors comply with worldwide standards for safety, EMC and ergonomics; including MPR II and TCO. Zero defect is the quality target for every single monitor produced, providing an assurance of outstanding performance.



- CRT LCD Contacts
- PC Monitors Touch Screen Monitors Open Frame Monitors
- CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOME



PRODUCTS & SERVICES

LCD Monitors

telart

15" LCD Monitor




- 1024 x 768
- 16.7 million colors
- 250 nits
- More

17" LCD Monitor



- 1280 x 1024
- 16.7 million colors
- 260 nits
- More


19" LCD Monitor



- 1280 x 1024
- 16.7 million colors
- 250 nits
- More

LCD Monitor Index

CRT LCD Contacts
PC Monitors Touch Screen Monitors Open Frame Monitors
CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOME



Quick Find

HOME | PRODUCTS & SERVICES | CONTACT | ABOUT US | FAQ | NEWS | RSS



PRODUCTS & SERVICES

LCD Monitors

telart



15" LCD Monitor

- 1024 x 768
- 16.7 million colors
- 250 nits
- More



17" LCD Monitor

- 1280 x 1024
- 16.7 million colors
- 260 nits
- More



19" LCD Monitor

- 1280 x 1024
- 16.7 million colors
- 250 nits
- More

LCD Monitor Index


CRT LCD Contacts
PC Monitors Touch Screen Monitors Open Frame Monitors
CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOME

10/26/2005

http://www.tatungusa.com/tatungusa/products_services/monitors/pc/LCD/index.htm




Quick Find



PRODUCTS & SERVICES

Telart 15" LCD Monitor



The Telart LT15A monitor is a new design aimed at financial, medical and logistic markets. It emits almost no magnetic radiation, and has a significantly reduced footprint, low power consumption, high-resolution capabilities and superior image quality to deliver the most comfortable

Model Number	LT15A
Type	15.0" TFT Active Matrix LCD display
Viewing Angle	H:120°, V:100°
Contrast Ratio	400 : 1 (Typical)
Brightness Response	250 (Typical)
Time (Tr+Tf)	16 ms
Display Colors	16.7M colors
Max Resolution	1024 x 768 (XGA)
Pixel Pitch	0.297mm(H) x 0.297mm(V)
PC	Up to 1024 x 768@75Hz (Non-interlaced)
RGB Analog	D-sub 15-pin
Video In	S-Video, RCA jack (optional)
Audio	Stereo Phone Jack, RCA-Jack (L/R) (optional)
Power	12V/DC Power Jack
Internal Speaker	2W x 2 (Stereo)
Temperature	0°C - 45°C
Air Humidity	20% - 80% R.H.
(W x H x D)	13.9"(H)x14.8"(W)x2.3"(D)

Telart 15" LCD Monitor

display.


Click here for complete product specifications

Net Weight 9.0 lbs.

Composite Video Optional

Specifications subject to change without prior notice.

CRT LCD Contacts
PC Monitors Touch Screen Monitors Open Frame Monitors
CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOME




Quick Find

MONITORS | DESKTOPS | LAPTOPS | PERIPHERALS | SOFTWARE | SERVICES | CONTACT US



PRODUCTS & SERVICES

Telart 17" LCD Monitor



Model Number	LT17A
Type	17" screen (17" viewable image)
Viewing Angle	H:140°, V:125°
Contrast Ratio	400 : 1 (Typical)
Brightness Response	260 (Typical)
Time (Tr+Tf)	16 ms
Display Colors	16.7M colors
Max Resolution	1280 x 1024 (SXGA)
Pixel Pitch	0.264mm(H) x 0.264mm(V)
PC	Up to 1280 x 1024@75Hz (Non-Interlaced)
RGB Analog	D-sub 15-pin
Video In	S-Video, RCA jack (optional)
Audio	Stereo Phone Jack, RCA-Jack (L/R) (optional)
Power	12V/DC Power Jack
Internal Speaker	2W x 2 (Stereo)
Temperature	0°C - 45°C
Air Humidity	20% - 80% R.H.
(W x H x D)	Physical 17.2"(H)x17.1"(W)

10/26/2005

Telart 17" LCD Monitor

The Telart LT17A monitor is a new design aimed at financial, medical and logistic markets. It emits almost no magnetic radiation, and has a significantly reduced footprint, low power consumption, high-resolution capabilities and superior image quality to deliver the most comfortable display.

[Click here for complete product specifications](#)

Net Weight x2.3"(D)
11.2 lbs.
Composite Video Optional
Specifications subject to change without prior notice.

[PC Monitors](#) [Touch Screen Monitors](#) [Open Frame Monitors](#) [HOME](#)
[CORPORATE INFO](#) [PRODUCTS & SERVICES](#) [PARTNERS](#) [SUPPORT](#)

[CRT](#) [LCD](#) [Contacts](#)




Quick Find



PRODUCTS & SERVICES

Telart 19" LCD Monitor



The Telart LT19A monitor is a new design aimed at financial, medical and logistic markets. It emits almost no magnetic radiation, and has a

Model Number	LT19A
Panel Type	19.0" TFT Active Matrix LCD Display
Pixel Pitch	0.294mm(H) x 0.294mm(V)
Max. Resolution	1280 x 1024 (SXGA)
Display Color	16.7 million (Typical)
Brightness	250 cd/m2 (Typical)
Contrast Ratio	600:1 (Typical)
Response Time	25 ms (Typical)
Viewing Angle	H:170 V:170 (Typical)
Frequency	FH:30 - 79KHz/FV:56 - 75Hz
Speakers	2W x 2 (Stereo)
RGB Analog / DVI Input	D-sub 15 pin / DVI-D
Video In	Composite video (optional) (AV) and S-video
Audio	Stereo phone jack (L/R)
DPF (Digital Photo Frame)	CF/Micro drive/SM/SD/MMC/MS/MS PRO
Power Saving Management	VESA DPMS, EPA energy star

Telart 19" LCD Monitor

significantly reduced footprint, low power consumption, high-resolution capabilities and superior image quality to deliver the most comfortable display.

Click here for complete product specifications


Plug & Play Regulation (Certification)	DDC1/DDC2B compliant
Operating Environment	CE, FCC, VCCI, BSMI, UL/CUL
Power Supply	Temperature 0°C - 45°C
	Air humidity 20% - 80% RH
	100-240V, 50/60Hz (universal)
	via external AC adapter
Power Consumption	Active<48W max / Standby<3W
Dimensions	18.2"(H)x17.2"(W)x2.5"(D)
Weight	14.6 lbs.

Specifications subject to change without prior notice.

CRT LCD Contacts

PC Monitors Touch Screen Monitors Open Frame Monitors

CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOME



DEPARTMENT OF THE ARMY

Abstract

1. *What is the purpose of the study?*
 2. *What are the research questions or hypotheses?*
 3. *What is the study design?*
 4. *What is the sample size and selection method?*
 5. *What are the variables being measured?*
 6. *What are the data collection methods?*
 7. *What are the results of the study?*
 8. *What are the conclusions and implications of the study?*

100

PRODUCTS & SERVICES



LCD Monitors

te|art

15" LCD Monitor




- 1024 x 768
- 16.7 million colors
- 250 nits
- More

17" LCD Monitor



- 1280 x 1024
- 16.7 million colors
- 260 nits
- More

19" LCD Monitor



- 1280 x 1024
- 16.7 million colors
- 250 nits
- More

10/26/2005

http://www.tatungusa.com/tatungusa/products_services/products/monitors/pc/LCD/index.htm

PC Monitors Touch Screen Monitors Open Frame Monitors
CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOME



Quick Find



SUPPORT CENTER

Product Support

If you have purchased your product from Tatung Company of America, for Customer Service, please call us through the following phone numbers or e-mails. For all other Tatung sites, please contact Tatung Inc. offices in your area: [Other Tatung Websites](#).

Tatung Company of America:

Main phone number: 1 (800) 827-2850 or (310) 637-2105

1. PC

Technical Support	Extension: 873/821	e-mail: techsupport@tatungusa.com
Parts & Repair Service	Extension: 875	e-mail: info@tatungusa.com

2. PC Monitor

Technical Support	Extension: 216	e-mail: lchen@tatungusa.com
Parts & Repair Service	Extension: 875	e-mail: info@tatungusa.com

3. Touch Screen Monitors

Technical Support	Extension: 286	e-mail: tssupport@tatungusa.com
Repair Service	Extension: 242	e-mail: repairservice@tatungusa.com
Parts	Extension: 312	e-mail: parts4com@tatungusa.com

4. Kiosk Monitors, Consumer Appliances

Technical Support	Extension: 216	e-mail: kmsupport@tatungusa.com
Repair Service	Extension: 242	e-mail: repairservice@tatungusa.com
Parts	Extension: 312	e-mail: parts4com@tatungusa.com

5. Closed Circuit TV Monitors (CCTV)

Technical Support	Extension: 311	e-mail: cctvsupport@tatungusa.com
Repair Service	Extension: 242	e-mail: repairservice@tatungusa.com
Parts	Extension: 312	e-mail: parts4com@tatungusa.com

6. LCDTV & Plasma Screen

Technical Support	Extension: 216	e-mail: screensupport@tatungusa.com
-------------------	----------------	-------------------------------------

Product Support

Page 2 of 2

Repair Service	Extension: 242	e-mail: repairservice@tatungusa.c
Parts	Extension: 312	e-mail: parts4com@tatungusa.com
For Walmart/Sam's Club customer	(888) 482-8864	
For Best Buy customer	(866) 855-6003	
For Micro Center customer	(800) 211-6954	
7. Digital Video Recorder (DVR)		
Technical Support	Extension: 299 (310) 897-0823	e-mail: dvrsupport@tatungusa.com
Repair Service	Extension: 242	e-mail: repairservice@tatungusa.c
8. Point Of Sales (POS)		
Technical Support	Extension: 160	e-mail: posmpcsupport@tatungusa.com
Repair Service	Extension: 242	e-mail: repairservice@tatungusa.c
Parts	Extension: 312	e-mail: parts4com@tatungusa.com
9. Mini PC		
Technical Support	Extension: 160	e-mail: posmpcsupport@tatungusa.com
Repair Service	Extension: 242	e-mail: repairservice@tatungusa.c
Parts	Extension: 312	e-mail: parts4com@tatungusa.com

Product Support Downloads

CORPORATE INFO PRODUCTS & SERVICES PARTNERS SUPPORT HOM